

## SUPER SERIES

M06/P30H/SP28







Specific	cations	Unit	Supe	r M06
	Chuck size	inch	6", *8"	
	Max. swing dia. over bed	mm	Ф360	
Capacity	Max. length of workpiece	mm	300	
	Max. swing diam. over slide	mm	Φ160	
	Spindle bore	mm	Ф55	*Ф62
Spindle	Max. dia. of through-hole	mm	Φ46	*Ф52
	Spindle nose	type	A2-5	*A2-6
	Spindle speed	rpm	4500	*4000
	Main motor power	kW	5.5/7.5, *7	7.5/11
	X axis travel	mm	160	
Axis	Z axis travel	mm	320	
	X/Z rapid traverse	m/min	25/25	
	Center height	mm	80	
Turret	No. of tool stations	nos	8,*12	
	Tool shank size	mm	25x25	
Tailstock	Type of tailstock		*Hydraulio	c, *LM
	Taper of tailstock quill		*MT4	
	Travel of tailstock quill	mm	*80	
	Travel of tailstock	mm	*80	
Structure	Slant bed degree		30°	
Structure	Guideway type		LM	
Others	Power capacity	KVA	13	
	Overall dimension (LxWxH	) mm	1850x188	0x1780
	Weight	Kg	3000	



Note: "\*" means optional, "LM" means linear motion guide way.

## **Specifications**

		Unit	SUPER P	30H	SUPER SP28	
	Max. swing dia. over bed	mm	Ф300		Ф300	
Capacity	Max cutting length	mm	160		180	
	Max. swing dia over slide	mm	Ф80		Φ90	
Spindle	Spindle bore	mm	Ф36	*Ф26	Ф37	
	Bar dia. capacity of hyd. collet	mm	Ф30	*Ф20	Ф28	
	Nose type		Φ54mm 1:1	*Ф40 1:1	Ф68 1:4	
	Spindle speed	rpm	4000	*5000	5000	
	Main motor power	kW	2.2/3.7, *3.7/5.5	3.7/5.5, *5.5/7.5	3.7/5.5, *5.5/7.5	
Axis	X axis travel	mm	250		290	
	Z axis travel	mm	180		180	
	X/Z rapid traverse	m/min	20/20		28/28	
Toolpost	Type of tool post		Gang type		Gang type	
	No. of tool stations	nos	4-6		4-7	
	ODTool shank size	mm	16X16		16X16	
Others	Power capacity	kVA	6.5		9	
	Bed /Guideway type		Flat /Linear motion	1	35° Slant bed / Linear motion	
	Overall dimension (LxWxH)	mm	1420X1200X1550		1500X1660X1760	
	Weight (about)	Kg	1400		1800	

Note:"\*" means optional.

## Z-MaT ZHEJIANG ZHENHUAN CNC MACHINE TOOL CO., LTD.

Zhejiang Headquarter and Plant: Add: Mechanical & electrical industrial zone, Yuhuan, Zhejiang, 317600 China

Phone: +86-576-87226292 Fax: +86-576-87226290 www.zmat.cn E- mail:info@zmat.cn

Jiangsu Accessories Plant:
Shandong Precision Spindle Unit Plant:
Hong Kong Commercial Center:
Taiwan R&D Center:

Nanjing Zhenhuan Machinery Co., Ltd.
Weihai Giessen Seiki Co., Ltd.
Kimway Dragon Holdings limited
GreaMaT Machinery Co., Ltd.

No.1 Tuqiao Industrial Zone, Jiangning District, Nanjing, Jiangsu.
No. 39-3 Hi-tech Industrial Zone, Weihai, Shandong.
701A Caroline Centre, 2-38 Yun Ping Road, Hong Kong.
No. 955, Section 4, Wenxin Rd., Beitun District, Taichung, Taiwan.